CONTENTS

Volume 47 Number 1 January 1990

STATEMENT OF EDITORIAL POLICY AND FULL INSTRUCTIONS TO AUTHORS 1–5

ORIGINAL ARTICLES

Rapid identification of organisms from blood cultures, *M. J. Rink* 6–9

Spectrophotometric correction for bile pigments in the thiobarbituric acid test for malondialdehyde-like substances in plasma, *Th. Hendriks and R. F. T. A. Assmann* 10–16

Simultaneous measurement of 25-hydroxy, 24,25-dihydroxy-, and 1,25-dihydroxyvitamin D without use of HPLC, *Catherine A. McGraw and George Hug* 17–25

Microheterogeneity of glucose-6-phosphate dehydrogenase phenotypes, *M. A. F. El-Hazmi* 26–29

Enzyme-linked immunosorbent assay for determination of antibodies to xanthine oxidase, *Y. L. E. Ng, W. H. P. Lewis and S. H. Chui* 30–35

Corynebacteria: incidence among samples submitted to a clinical laboratory for culture, *Roy J. Marshall and Emma Johnson* 36–41

Use of a bacterial sampler for rapid transfer of microvolumes into microplates, *J. Rawlinson, J. A. J. Barbara, Anne Baldwin and K. G. S. Ahmed* 42–45

SHORT COMMUNICATIONS

Enteric pathogen screening: a multipoint technique with a simple numerical profile, *J. A. Wigmore and C. R. T. Wills* 46–48

Staining of inclusion bodies and reticulocytes: a modified procedure, *Hisham G. Ezzat and Noman Al-Turki* 49–51

Recombinant-based competitive anti-HIV assay: solution of some operating problems, *P. Challis and J. A. J. Barbara* 52–54

THESIS SUMMARIES 55–57

BOOK REVIEWS 58–72

Volume 47 Number 2 April 1990

ORIGINAL ARTICLES

Direct determination of urinary oxalate by a continuous flow method, *Keith Goldsack, Ronald F. A. Ginman and John M. Wright* 73–79

Correlation between red cell pyruvate kinase activity and haematological parameters, *M. A. F. El-Hazmi and A. S. Warsy* 80–84

Detection of benzoylecgonine (cocaine metabolite) in urine: a cost-effective low risk immunoassay procedure, *F. M. L. Moore and D. Simpson* 85–89

Cryo-preservation of *Lactobacillus leichmannii* for vitamin B_{12} microbiological assay, *Brian P. Kelleher, John M. Scott and Sean D. O'Broin* 90–96

Development of a gene probe assay suitable for use in routine diagnosis: a pilot study using a DNA probe for parvovirus B19, *Robin J. Shattock* 97–102

Levels of acarboxy prothrombin (PIVKA-II) and coagulation factors in warfarin-treated patients, *Shigenobu Umeki and Yayoi Umeki* 103–107

Natural killer (NKH-1+) cell number and activity in health and disease, *Zoran Vranеš, Branka Užarević, Drago Batinić, Mladen Perić, Zdravo Poljaković and Matko Marušić* 108–112

Morphological classification by scanning electron microscopy of erythrocytes stored at 4°C in citrate-phosphate-dextrose anticoagulant, *E. J. Truter and P. W. Le R. Murray* 113–119

REVIEW ARTICLE

Tumour cell purging for autologous bone marrow transplantation, *Annette E. Trickett* 120–131

SHORT COMMUNICATION

Blood selenium levels in nasopharyngeal cancer patients in south China, *Yang Rongpu, Huang Jiachen, Feng Gongkan and Mei Zhengen* 132–134

THESIS SUMMARIES 135–137

LETTER TO THE EDITOR 138

OBITUARY

R. J. Bromfield FIMLS 139–140

BOOK REVIEWS 141–147

Volume 47 Number 3 July 1990

LEADING ARTICLE

Selectivity, objectivity and consensus in cellular pathology, *R. T. Allison* 149–150

ORIGINAL ARTICLES

An investigation of culture media for the isolation of shigellae, *A. L. C. Hunt and J. M. Goldsmid* 151–157

Apparent failure of Brain Heart Infusion broth to cultivate meningococci from clinically infected patients, *D. Glaister and R. Athersuch* 158–162

Increase in the activity of third-generation cephalosporins in combination with clavulanic acid and Sulbactam™ against *Bacteroides fragilis*, *M. A. Martín, A. M. Castillo, J. Liebana, P. Mesa, G. Piedrola and J. Gutierrez* 163–167

Production of high quality ground sections of bone containing metal implants to demonstrate osseo-integration: a simplified method, *R. T. Allison and A. W. Sugar* 168–171

A new filter technique permitting traditional histopathological assessment of fine needle aspiration specimens, *N. Cobb, D. N. Slater and S. Beck* 172–181

Enhanced demonstration of cell surface immunoglobulins in paraffin-processed tissue, *Ian Grigor* 182–188

Tannic acid and chromic chloride-induced binding of protein to red cells: a preliminary study of possible binding sites and reaction mechanisms, *A. F. Hunt and M. I. Reed* 189–194

X-ray film digestion: a semi-quantitative assay for proteolytic enzymes used in immunohaematology, *J. M. Giles and D. J. Rogers* 195–198

Albumin microspheric ascorbic acid and adenine to preserve erythrocyte viability and oxygen carrying capacity, *E. J. Truter* 199–203

Hepatitis B virus infection: detection of circulating HBsAg/IgM antibody immune complexes, *P. Surelia and E. H. Boxall* 204–209

REVIEW ARTICLE

Demonstration techniques in cellular pathology: putting things into perspective, *H. C. Cook* 210–219

ANNOTATION

Interleukin-2 (IL-2) immunotherapy, *M. G. Macey and D. H. Johnston* 220–225

SHORT COMMUNICATIONS

An evaluation of the HemoCue™ for correcting the haemoglobin value of lipaemic samples, *Peter D. Nicholls* 226–229

Effect of storage on blood count variables in small samples, *G. J. Bellamy and R. F. Hinchliffe* 230–233

Effect of heat treatment on plasma creatinine measurement, *G. O. Evans and C. E. Parsons* 234–235

THESIS SUMMARIES 236–239

BOOK REVIEWS 240–247

SOFTWARE REVIEW 248

Volume 47 Number 4 October 1990

LEADING ARTICLE

Near-patient 'laboratory' testing, *A. D. Farr* 249–250

ORIGINAL ARTICLES

Assessment of physicians' office pathology testing: organisational considerations, *D. M. Hailey, A. R. Lea, D. R. Dunt, D. W. Thomas, L. E. Wyndham, J. H. Maynard, C. S. H. Reed and P. Mudge* 251–255

Desk top analysers in general medical practice: how useful are they?, *Brenda Leese and John Hutton* 256–262

Dry chemistry: an assessment of the BCL Reflotron™ system, *A. G. Skinner, B. J. Bacon and J. D. House* 263–271

Post-antibiotic effect of three quinolones against Gram negative isolates from urine, *J. C. Alados, J. Gutierrez, F. Garcia, J. Liebana and G. Piedrola* 272–277

Bilirubin crystals in peripheral blood smears from neonates with unconjugated hyperbilirubinaemia, *N. Marwaha, R. Sarode, R. K. Marwaha, S. Sharma, S. Yachha and A. Narang* 278–281

Quantitative measurement of serum and plasma lysozyme: an automated method, *Stephen J. Giles, Michael R. Morley and Frank Hazlehurst* 282–284
Automated haematology analysers: a four-way comparison, *Brian A. Warner, David M. Reardon and David P. Marshall* 285–296

REVIEW ARTICLE

The immune response to cytomegalovirus infection and serological methods used in its diagnosis, *G. Galea* 297–303

ANNOTATIONS

Laboratory testing in, or for, general practice, *P. M. G. Broughton and G. H. G. Thorpe* 304–311
Laboratory testing closer to the patient: the Canadian scene *J. L. Braidwood* 312–318
Developments in near-patient testing, *David M. Hailey and Anthony R. Lea* 319–325
Near-patient testing: implications for laboratory-based professions, *Vincent Marks* 326–329
Bedside blood grouping, *Jane M. Rachel and Fred V. Plapp* 330–336
Experiences with anaerobes, *Margaret A. Allen and Margaret M. Lynch* 337–346
Use of international data communications standards in hospital laboratories, *P. S. Atkwall and P. Martin* 347–352

SHORT COMMUNICATION

False negative results in anti-HIV ELISA due to insufficient antigen coating of microtitre plates, *J. Rosenkvist and E. Dybkjaer* 353–355

THESIS ABSTRACTS 356–357

LETTERS TO THE EDITOR 358–359

BOOK REVIEWS 360–365

SUBJECT AND AUTHOR INDEXES 367–372